



# winner

**B** brunoffice  
italian office furniture



Winner, un nuovo punto di riferimento per tutti i sistemi di arredo operativi! Elementi semplici, funzionali ed affidabili si combinano per definire nuovi ambienti di lavoro e per realizzare soluzioni in progress. Tavoli rettangolari, postazioni compatte, isole di lavoro e soluzioni reception rappresentano tutto quanto è possibile realizzare con gli arredi Winner. L'affidabile struttura metallica, i pratici piani in melaminico o laminato postformato, disponibili in molteplici finiture pastello e legno, oltre ad una vasta gamma di contenitori e cassettiere rendono le proposte di arredo Winner pratiche, funzionali, versatili ed estremamente competitive. La completa modularità degli elementi assicura inoltre la piena personalizzazione e la possibilità di integrazione in ambienti operativi evoluti e multifunzionali. Anticipare le esigenze, accompagnare il cambiamento, assecondare le funzioni, integrare le nuove tecnologie: Winner la soluzione vincente per ogni spazio operativo!

Winner is a new referring point for all operative systems! Simple, functional and reliable elements combined to create new working environments or solutions continuously in progress. Rectangular tables, compact workstations, working areas and reception compositions represent all the possible solutions Winner can offer. The reliable metal structure, the practical melamine or postforming laminate working tops available in many colours, together with the several cabinets and pedestals make the Winner solutions functional, versatile and extremely competitive. The modularity of the elements guarantees personalized solutions well able to integrate in operative and multifunctional environments. Anticipate the needs, work along with the changes, the functions and the new technologies: Winner is the winning solution for every operative space!

I tavoli tradizionali Winner, dotati di piani realizzati in melaminico o lamineato postformato, sono montati su una robusta struttura in acciaio composta da una gamba a "T" rovesciata e da una trave telescopica che ben si adatta al montaggio di piani di molteplici dimensioni. Le strutture sono disponibili nei colori metallizzato e antracite e si abbiano perfettamente alle molteplici finiture dei piani. La versatile gamba centrale inoltre, permette il montaggio di più tavoli lineari in sequenza realizzando così postazioni multiple semplici e funzionali.

Winner's traditional desks, equipped with tops in melaminic or postformed laminate, are assembled on a strong steel structure composed of a reversed "T" leg and of a telescopic beam which fits perfectly with the assembly of the shelves of different sizes. The structure is available in silver and anthracite finish and they combine perfectly with the several finishings of the working tops. The versatile central leg allows the assembly of other linear desks in sequence in order to realize multiple and functional workstations.

# simplicity and functionality in a modern environments







La versatilità costruttiva del sistema Winner consente una piena personalizzazione del posto di lavoro. La struttura metallica del sistema prevede infatti, oltre alla tradizionale gamba a "T" fissa una versione elevabile che consente in modo semplice e veloce la regolazione dell'altezza del piano da 62 a 82 cm. Il carter della gamba elevabile è realizzato in metallo ed è anch'esso "telescopico" quindi regolabile in funzione dell'altezza prescelta. The versatility of Winner's system allows to personalize every workstation. The steel structure is equipped with the traditional fixed "T" leg and with a new raisable version that enables to adjust the height of the tops from 62 to 82 cm. The carter of the adjustable height leg is telescopic in order to follow the height of the leg.





Le postazioni Winner possono essere personalizzate in modo semplice e coordinato sfruttando gli innumerevoli accessori del programma. Pannelli frontal, vaschette, schermi in acciaio, pensole e allunghi, porta CPU fissi e su ruote si integrano perfettamente ad ogni postazione migliorandone l'operatività. Gli accessori Winner consentono di avere sempre tutto in ordine ed a portata di mano. Winner's working areas can be easily personalized by using the many accessories which the range offers. Melaminic screens, plastic trays, front panels in steel sheets, fixed or mobile returns are perfectly integrated in every workstation, improving the comfort and the operativity. The accessories included in Winner range help to keep everything handy and tidy.





I tavoli compact Winner sono progettati per realizzare postazioni di lavoro collettive all'insegna della funzionalità e del comfort. La forma avvolgente dei piani e l'ampia superficie di lavoro rende le postazioni compatte versatili ed esteticamente accattivanti. Le caratteristiche dimensionali di questi piani favoriscono la loro integrazione per realizzare isole di lavoro a 2, 3, 4 posti.

I piani compact sono montati su struttura metallica nelle finiture del sistema, con gambe a "T" rispettivamente di 80 e 60 cm. e travi telescopiche.

Winner's compact desks are designed to realise collective workstations pursuing functionality and comfort. The wellcoming shape of the tops and the wide working surfaces make the compact workstations versatile and aesthetically interesting. The dimensional characteristics of these tops permit their integration in order to realise working islands for 2, 3, 4 positions. The compact tops are assembled on a steel structure composed by "T" legs of 80 and 60 cm, and on telescopic beams.

# compact work- stations versatile and aesthetically interesting







Le soluzioni Winner per le aree riunione prevedono piani di svariate dimensioni disponibili in tutte le finiture del sistema e capaci di soddisfare ogni esigenza. I tavoli riunione possono essere montati sulla tradizionale struttura con gamba a "T" rovesciata e trave telescopica oppure su gambe indipendenti con piastra metallica. Rettangolari, circolari ed ovali, i tavoli riunione Winner soddisfano in modo completo ed efficace le necessità delle aree riunione operative, racchiudendo nelle sue proposte di arredo robustezza costruttiva, design semplice e grande versatilità di utilizzo. The solutions that Winner offers for meeting areas are tops in different sizes available in all the finishings, capable to satisfy every demand. The meeting desks can be assembled on the traditional reversed "T" leg structure with telescopic beam or on independent legs with metal board. Winner meeting tables can be rectangular, circular or oval, satisfying completely every operative meeting area, giving solutions which guarantee sturdiness, design and great versatility.

sturdiness,  
simple design  
and versatility  
for meeting area







Il sistema prevede una serie di piani dalle dimensioni compatte e dalle forme semplici che opportunamente integrata ad un sistema di pannellature realizza soluzioni per il call center efficaci e convenienti. La versatilità dei piani per call center permette di realizzare soluzioni sempre nuove capaci di adattarsi ai vari layout con semplicità e rigore. I pannelli verticali sono realizzati in melaminico e sono dotati di piedini regolabili. Previsti in due differenti altezze assicurano riservatezza e condivisione, oltre ad essere predisposti per la personalizzazione con una serie di accessori.

The system offers different tops in compacted dimensions and in simple shapes, which if integrated in a system of panels it can offer great solutions for call centres, in terms of efficiency and convenience. The versatility of the call centre's working tops allow to realise always new solutions, capable to adapt to different layouts with simplicity and rigours. The vertical panels are made of melaminic and are equipped with adjustable feet. They are available in two different heights, assuring the possibility to personalize the workstation by using the different accessories offered by the range.

# simplicity and convenience for original call centers











































Organizzare lo spazio lavorativo degli ambienti destinati all'accoglienza è semplice con le proposte di arredo Winner. Le scrivanie tradizionali si integrano perfettamente con un sistema di alzate e pannelli frontali per realizzare banconi reception modulari funzionali ed esteticamente coordinati. Gli elementi d'angolo a 90° consentono la realizzazione di soluzioni di ogni forma e dimensione. Le proposte reception Winner comprendono anche diversi moduli librerie di larghezza 90 cm. destinati ad ambienti nei quali il contatto con il pubblico è frequente.

Winner offers simple solutions for the reception areas. The traditional desks are perfectly integrated in a system of tops and front panels in order to realise modular reception desks, with a high aesthetic and functional value. The 90° angle elements enables the realization of solutions in every shape and dimension. The Winner's reception proposals include also different cabinet units of 90 and 45 cm width. They are assigned to environments in which public contact is very frequent.

# aesthetics and functionality for modular reception





<b>Tavolo</b> Desk  NT08/NT08P cm. 80x80x72 h. NT12/NT12P cm. 120x80x72 h. NT14/NT14P cm. 140x80x72 h. NT16/NT16P cm. 160x80x72 h. NT18/NT18P cm. 180x80x72 h. NT20/NT20P cm. 200x80x72 h.	<b>Tavolo collegabile in linea</b> Connecting table  NTC08/NTC08P cm. 80x80x72 h. NTC12/NTC12P cm. 120x80x72 h. NTC14/NTC14P cm. 140x80x72 h. NTC16/NTC16P cm. 160x80x72 h. NTC18/NTC18P cm. 180x80x72 h. NTC20/NTC20P cm. 200x80x72 h.	<b>Tavolo per cassetiera portante</b> Desk for desk height pedestal  NTF14/NTF14P cm. 140x80x72 h. NTF16/NTF16P cm. 160x80x72 h. NTF18/NTF18P cm. 180x80x72 h. NTF20/NTF20P cm. 200x80x72 h.	<b>Tavolo</b> Desk  NTD08/NTD08P cm. 80x60x72 h. NTD10/NTD10P cm. 100x60x72 h. NTD12/NTD12P cm. 120x60x72 h. NTD14/NTD14P cm. 140x60x72 h. NTD16/NTD16P cm. 160x60x72 h. NTD18/NTD18P cm. 180x60x72 h.	<b>Tavolo collegabile a 90°</b> Desk connectable at 90° for linear desks  NTA08/NTA08P cm. 80x60x72 h. NTA10/NTA10P cm. 100x60x72 h. NTA12/NTA12P cm. 120x60x72 h. NTA14/NTA14P cm. 140x60x72 h. NTA16/NTA16P cm. 160x60x72 h.	<b>Tavolo sagomato dx/sx</b> Shaped desk (right/left hand side)  NTSD/NTSDM cm. 160x80/120x72 h. NTSS/NTSSM cm. 160x80/120x72 h.	<b>Tavolo sagomato "vela"</b> "Sail" shaped desk (right/left hand side)  NTVD cm. 160x80/100x72 h. NTVScm. 160x80/100x72 h.	<b>Tavolo sagomato "goccia" dx/sx</b> "Drop" shaped desk (right/left hand side)  NTGD cm. 180x120x72 h. NTGS cm. 180x120x72 h.
							
<b>Tavolo sagomato a 120° (lati cm. 60/80)</b> "120°" shaped desk (60/80 cm. side)  NTS10 cm. 100x100x72 h. (lati 60 cm) NTS12 cm. 120x120x72 h. (lati 80 cm)	<b>Tavolo compatto (lati 60 cm)</b> Melamine / glass desk top  NTW12 cm. 120x120x72 h.	<b>Tavolo compatto dx/sx</b> Compact desk (right/left hand side)  NTW14D/S cm. 160x140x72 h. NTW16D/S cm. 160x160x72 h. NTW18D/S cm. 180x160x72 h.	<b>Tavolo riunioni circolare</b> Circular meeting table  NTR cm. Ø120x72 h.				<b>Angolo a 90° per tavoli prof. cm. 80</b> 90° unit for desks 80 cm. deep
							
<b>Angolo sx/dx a 90° per tavoli prof. cm. 80 e 60</b> 90° unit (left/right hand side) for desks 80 cm. and 60 cm. deep  NA90D cm. 83x63x3 h. NA90S cm. 83x63x3 h.	<b>Angolo a 45° per tavoli prof. cm. 80</b> 45° unit for desks 80 cm. deep  NA45 cm. 83x83x3 h.	<b>Angolo a 90° per tavoli prof. cm. 80</b> 90° unit for desks 80 cm. deep  NAG cm. 120x120x3 h.	<b>Penisola circolare in melaminico</b> Final circular melamine link unit  N1 cm. Ø120x3 h. N1M cm. Ø120x3 h.	<b>Penisola a mezzaluna</b> Final "half moon" shaped link unit  N2 cm. Ø90x3 h.	<b>Penisola finale per 2 piani</b> prof. cm. 80/60 Final link unit for 2 work tops 80/60 cm. deep  N4 cm. 123,5x50x3 h. N3 cm. 163,5x60x3 h.	<b>Terminale sx/dx per piani</b> prof. cm. 80/60 Final link unit (left/right hand side) for tops 80/60 cm. deep  N7D cm. 60x52x3 h. N7S cm. 60x52x3 h. N5D cm. 80x57x3 h. N5S cm. 80x57x3 h.	<b>Terminale sagomato sx/dx a vela per piani cm. 60 e 80</b> Final "sail" shaped link unit (left/right hand side) for tops 60 cm. and 80 cm. deep  N9D cm. 100x60/80 N9S cm. 100x60/80
							
<b>Cassettiere in melaminico a 2/3/4 cassetti</b> 2/3/4 drawer melamine mobile pedestals  NC2N cm. 40x55x57 h. NC3N cm. 40x55x57 h. NC4N cm. 40x55x57 h.	<b>Cassettiera con struttura metallica e frontalini in melaminico a 2/2+1 cassetti</b> 2/2+1 drawer mobile pedestal with metal structure and melamine drawer fronts  NC2X cm. 43x58x54 h. NC2X/1 cm. 43x58x59,5 h.	<b>Cassettiera con struttura metallica e frontalini in melaminico a 3/3+1 cassetti</b> 3/3+1 drawer mobile pedestal with metal structure and melamine drawer fronts  NC3X cm. 43x58x54 h. NC3X/1 cm. 43x58x59,5 h.	<b>Cassettiere altezza scrivania a 3/4 cassetti</b> 3/4 drawer desk height pedestal  N6A3N cm. 43x58x69,5 h. N6A4N cm. 43x58x69,5 h. N8A3N cm. 43x78x69,5 h. N8A4N cm. 43x78x69,5 h.	<b>Elemento libreria a giorno</b> Open cabinet  NL1BG cm. 45x47x73 h. NL2BG cm. 90x47x73 h.	<b>Elemento libreria con 2/4 telai classificatori e serratura</b> Cabinet with 2/4 filing drawers  NL1BC2 cm. 45x47x73 h. NL1BC4 cm. 45x47x73 h. NL2BC2 cm. 90x47x73 h. NL2BC2 cm. 90x47x73 h.	<b>Elemento libreria a giorno</b> Open cabinet  NL1MG cm. 45x47x139 h. NL2MG cm. 90x47x139 h.	<b>Elemento libreria a giorno</b> Open cabinet  NL1AG cm. 45x47x206 h. NL2AG cm. 90x47x206 h.
							
<b>Elemento libreria con 2/4 telai classificatori e serratura</b> Cabinet with 2/4 filing drawers  NL1AC2/4 cm. 45x47x206 h. NL2AC2/4 cm. 90x47x206 h.	<b>Elemento reception</b> Reception desk complete  NR08 cm. 80x95x111 h.	<b>Elemento reception completo</b> Reception desk complete  NR12 cm. 120x95x111 h. NR14 cm. 140x95x111 h. NR14 cm. 160x95x111 h. NR14 cm. 180x95x111 h.	<b>Elemento reception ad angolo 90° esterno/interno completo</b> 90° external/internal angle reception desk complete  NRAE cm. 100x100x111 h. NRAI cm. 100x100x111 h.	<b>Elemento reception libreria a giorno</b> Reception open bookcase unit  NRL45 cm. 45x47/62x111 h. NRL90 cm. 90x47/62x111 h.	<b>Elemento reception libreria con ante</b> Reception bookcase unit with doors  NRL45AD cm. 45x47/62x111 h. NRL45AS cm. 45x47/62x111 h. NRL90A cm. 90x47/62x111 h.	<b>Reception libreria con 2/4 cassetti</b> Reception bookcase unit with doors  NRL45C2 cm. 45x47/62x111 h. NRL45C4 cm. 45x47/62x111 h. NRL90C2 cm. 90x47/62x111 h. NRL90C4 cm. 90x47/62x111 h.	<b>Angolo esterno/ interno a 90° per reception libreria</b> 90° external/internal angle for reception bookcase  NRLAE cm. 100x100x111 h. NRLAI cm. 65x65x111 h.
							


# Finiture e colori Winner Winner finishing and colours

Nell'impossibilità di riprodurre correttamente i colori in stampa, invitiamo a consultare i relativi campioni.  
Since it is impossible to reproduce the colours exactly, please refer to the corresponding samples

**ME** Metalizzato / Silver | S



**AN** Antracite / Anthracite | S



**AC** Acero / Maple | P-A-F




**NO** Nocciola / Walnut | P-A-F




**PE** Pero / Pear | P-A-F



**GR** Grigio / Grey | P-A-F




**MD** (MDF / Medium Density) Grigio cenere / Dark Grey




**BL** Blu / Blue | A-F




**VE** Verde / Green | A-F



**AR** Arancio / Orange | A-F



**AN** Antracite / Anthracite | A-F





ICILA ISO 9001 - ISO 14001

*Certified Management System*

GilibertiStudio

**B** brunoffice  
italian office furniture

Brunoffice S.r.l.  
Località Ferrazza  
03030 Broccostella (Fr) Italy  
tel. +39.0776.8961  
fax +39.0776.896399  
[www.gruppo-francobruno.it](http://www.gruppo-francobruno.it)

DPL-BRUN-423 - REV02 COD.271 | 101- 12/2009